



Polymer Processing

## MPR 200

### SILICONE EMULSION MOULD RELEASE AGENTS

MPR 200 is a specially formulated mould release agents which contains no solvents. The product is a blends of silicones, emulsifiers and water.

### PRODUCT CODES / FILL SIZES



31736 / 25ltr

### APPLICATIONS

These emulsions are ideal for the release of rubber and plastic mouldings, especially where the use of a solvent based product is not desirable. They are effective release agents for use in concrete/stone moulding processes and can also be used as general purpose anti-stick agents to reduce friction and sticking. E.g. in rubber & pvc profile extrusion and to aid the flow of foam blocks across cutting tables.

### DIRECTIONS

- The higher silicone level in MPR 200 offers you the facility to dilute it with water to match your specific requirements.
- Apply a light even coating by spray, brush or wiping and reapply as necessary.

## TECHNICAL DATA (WITHOUT PROPELLANT)

Appearance	Smooth, white emulsions
Odour	Sweet and mild
Specific Gravity (@ 25°C)	1.0
Temperature range	Operational up to 150°C
Solids Content	MPR 100 – 8%, MPR 200 – 36%
Solubility	Soluble in water
Dilution rates	As required
Compatibility	Safe on plastics and rubber
Flammability	Non-flammable

## MATERIALS COMPATIBILITY

OK	-
CAUTION	-
NOT OK	-

## STORAGE & SHELF LIFE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 1 years with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

## HEALTH AND SAFETY

A separate Safety Data Sheet (SDS) according to EC Regulation 73/404/EEC and 648/2004/EC is available from Ambersil.com or via [info.uk@crcind.com](mailto:info.uk@crcind.com)

## MISREPRESENTATION ACT 1967

## TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

Version 3.1  
Created: July 2019  
Updated: October 2020

CRC Industries UK Ltd.  
Wylds Road, Bridgwater  
Somerset, TA6 4DD  
United Kingdom

t +44 (0)1278 727200  
f +44 (0)1278 425644  
e [sales.uk@crcind.com](mailto:sales.uk@crcind.com)  
w [www.crc europe.com](http://www.crc europe.com)

Company Registered No. 04910479

VAT No. GB 821 5195 42

